

# INDEX OF AUTHORS

- Abel, Harold A., 120  
 Alexander, James K., 366  
 Alexander, J. D., 378  
 Alimiurung, Mariano M., 420  
 Anderson, William H., 359
- Baker, Benjamin M., Jr., 190  
 Barker, Nelson W., 613, 674, 844  
 Bell, E. T., 587  
 Beyer, John A., 161  
 Biggs, Max W., 34  
 Bine, René, Jr., 105  
 Blalock, Alfred, 116  
 Bland, Catherine, 105  
 Bland, Edward F., 836  
 Block, William J., 674  
 Bobb, J. R. R., 587  
 Bolene, C., 43  
 Bordley, James, III, 503  
 Brecher, Gerhard A., 496  
 Brodie, Bernard B., 13  
 Brofman, B. L., 816  
 Brown, Morton G., 909  
 Burchell, Howard B., 108  
 Byers, Sanford O., 105
- Casas, Raul, 251  
 Campbell, Maurice, 329  
 Cathcart, Richard T., 366  
 Chambliss, J. R., 816  
 de la Chapelle, Clarence E., 764  
 Chapman, Carleton B., 229  
 Connor, Charles A. R., 503  
 Counihan, Timothy B., 576, 716  
 Coxé, Joseph W., 890  
 Crosley, A. P., Jr., 868  
 Crystal, Dean K., 211
- Doerner, Alexander A., 359  
 Dotter, Charles T., 123
- Earle, D. P., 378  
 Eckstein, Richard W., 534, 552  
 Elisberg, E. I., 510  
 Elinton, J. R., 679, 697, 868  
 Ernestene, A. Carlton, 430  
 Essex, Hiram E., 108  
 Estanda, Antonio, 522
- Farber, Saul J., 378  
 Feil, H., 816  
 Fell, Egbert J., 251  
 Ferencz, Charlotte, 242  
 Ferrer, M. Irené, 366  
 Fienberg, Robert, 909  
 Fischer, C. S., 100  
 Ford, Tedroe J., Jr., 522  
 Fox, Ernest L., 350  
 Friedell, Hymer L., 552  
 Friedman, Meyer, 105
- Gasul, Benjamin M., 251  
 Genecin, Abraham, 735  
 Gerber, A., 510  
 Gofman, John W., 25, 29, 557, 666  
 Goldberg, H., 343  
 Golden, Abner, 1  
 Gordon, A., 343, 510
- Graham, Dean M., 666  
 Graham, G. R., 510  
 Green, Harold D., 47  
 Griffith, George C., 416  
 Gropper, Arthur L., 278  
 Gubner, Richard, 239
- Hamilton, W. F., 503  
 Hanson, Hugh H., 844  
 Harris, A. Sidney, 522  
 Harrison, Tinsley R., 920  
 Harvey, Réjane M., 366  
 Heimbecker, Ray, 116  
 Helcher, P. O., 173  
 Heymans, C., 581  
 Hildreth, D. M., 899  
 Hildreth, E. A., 899  
 Holzman, Daniel, 909  
 Hoobler, S. W., 173  
 Horwitz, Orville, 111  
 Hudson, Bryan, 747, 756
- Jaruszewski, E. J., 816  
 Jennings, Robert B., 747, 756  
 Johnson, Arnold L., 242  
 Jones, Hardin B., 666  
 Jones, T. Duckett, 836  
 Joseph, Lester G., 420
- Kahn, E. A., 173  
 Katz, L. N., 43, 255, 262, 343, 483, 510  
 Kayden, Herbert J., 13  
 Kerr, William J., 503  
 Kritehevsky, David, 34
- Lam, Conrad R., 321  
 Lev, Maurice, 863  
 Levinson, David C., 416  
 Lillihei, C. Walton, 587  
 Lombardo, Thomas A., 920  
 Lyon, Thomas P., 666
- Mann, Frank D., 674, 844  
 Manning, J. T., 173  
 Mark, Lester C., 13  
 Martin, J. F., 816  
 Mason, Robert E., 190  
 Massell, Benedict F., 420  
 McClury, Robert S., 394  
 McClellan, S. G., 173  
 McCord, Malcolm C., 387  
 McCubbin, James, 70  
 McEachen, James A., 534  
 MacIntyre, William J., 552  
 McKeever, William P., 735  
 McLemore, George A., Jr., 47  
 McRae, Donald L., 242  
 Méndez, Rafael, 729, 854  
 Mendlowitz, Milton, 120  
 Merrell, Margaret, 735  
 Messer, Addison L., 576  
 Miller, George E., 270  
 Milnor, William, 735  
 Moe, Gordon K., 129  
 Moffit, G. R., Jr., 697  
 Monge, Carlos, 735  
 Montgomery, Hugh, 111  
 Moore, Felix E., 641, 652
- Morgan, Russell H., 604  
 Mudge, Gilbert H., 54  
 Munnell, Edward R., 321
- Nadas, Alexander S., 420  
 Nava, Armando, 854  
 Newberry, William B., 534  
 Newman, Elliott V., 735  
 Nurnberg, Miriam J., 54
- Opdyke, David F., 496
- Page, Irvine H., 70, 184, 563  
 Paine, W. G., 173  
 Pearl, Felix L., 402  
 Peet, M. M., 173  
 Pellegrino, E. D., 378  
 Penneys, Raymond, 190  
 Peirce, George, 111  
 Pick, R., 262  
 Pierce, F. T., 25, 29  
 Prendergast, John J., 23  
 Pritchard, Walter H., 552  
 Pruitt, Raymond D., 108  
 Pryor, William W., 233
- Rappaport, Maurice B., 576, 716  
 Renfert, Henry, Jr., 173  
 Rodbard, S., 43  
 Rose, O. Alan, 764  
 Rosenman, Leonard D., 402  
 Rushmer, Robert F., 211, 219  
 Russek, Henry I., 359  
 Rutstein, David D., 641, 652, 659
- Salans, A. H., 510  
 Scarborough, William R., 190  
 Schlesinger, Monroe J., 797  
 Schroeder, Henry A., 87, 706  
 Schwartz, Martin J., 881  
 Selkurt, Ewald E., 541  
 Shaffer, J. M., 587  
 Sheldon, Walter H., 1  
 Silber, E. N., 343  
 Simonton, John H., 557, 666  
 Singer, R. B., 697  
 Sjoerdsma, A., 100  
 Smith, Durwood J., 890  
 Smith, George, 534  
 Sodi-Pallares, Ernesto, 854  
 Sprague, Howard B., 576, 716  
 Squires, R. D., 679, 697, 868  
 Stamler, J., 255, 262  
 Steele, J. Murray, 13  
 Steinberg, Israel, 123  
 Stock, Richard J., 54  
 Storstein, Ole, 913  
 Sturm, Ralph E., 604  
 Suzman, S., 329  
 Syverton, Jerome T., 890
- Taguchi, James T., 387  
 Taylor, Henry Longstreet, 229  
 Taylor, Robert D., 184, 563  
 Teague, D. Maxwell, 23  
 Thal, Nathan, 219  
 Thomas, Caroline B., 190  
 Thomas, Vivien, 116

Tillotson, Rex F., 522  
Truex, Raymond C., 881

van den Heuvel-Heymans, G., 581  
Visscher, M. B., 587

Wargo, D., 587  
Wartman, William B., 747, 756

Wessler, Stanford, 797  
White, Paul D., 288  
White, Sidney, 666  
Widran, Jerrold, 863  
Wiggers, Carl J., 485, 503  
Wiglesworth, F. W., 242  
Williams, Arnold H., 278, 706  
Williamson, Charles R., 641, 652

Winchell, Paul, 229  
Wright, Irving S., 161, 350

Yankley, Alexander, 666  
Yarborough, John A., 394

Ziegler, Robert F., 905  
Zoll, Paul M., 797

## INDEX OF SUBJECTS

(Page numbers in italics refer to abstracts)

- Abdomen, swelling, in chronic cardiac compression, 817
- Abscess  
cerebral, in congenital heart disease, 142  
of valve rings of heart, 1-12
- Acetylcholine, 794
- Adrenergic vasoconstrictor, 894, 896
- Acidosis, respiratory, 702
- Atherosclerosis, 634
- ACTH. *See* Adrenocorticotrophic hormone
- Actin, 376
- Actomysin, 376
- Adams-Stokes syndrome, 146, 432, 769
- Adrenal gland, hypoplasia of, and desoxycorticosterone acetate, 266
- Adrenalectomy, 782  
and atherosclerosis, 462  
muscular fatigue following, 148
- Adrenaline, 633, 783  
on carotid sinus area, and systemic arterial pressure, 582  
hypertension due to, 71-73, 75, 78, 79-81, 83, 85  
and isolated perfused central nervous system, 563-74  
and nitroglycerin, 535
- Adrenergic agent, and antagonistic effect of nitroglycerin, 534-40
- Adrenocorticotrophic hormone, 796  
and atherosclerosis, 475  
for collagen diseases, 790  
for disseminated lupus erythematosus, 308  
in hypertension, 781  
for periarteritis nodosa, 308  
for rheumatic carditis, 638  
for rheumatic diseases, 942
- Adrenolytic drug, 793
- Adrenoxyl, 791
- Aerobacter aerogenes, 592
- Age (of patient)  
and heart disease, 643-44  
and hyperabduction syndrome, 165
- Albumin  
fated human serum, in determination of cardiac output, 552-56  
serum, 307
- Albuminosis  
hypochloremic, 56, 702  
mercurial-induced, potassium for, 66  
metabolic, 703-04  
respiratory, 702
- Allergy, vascular, 949
- Alloxan, 29
- Albha tocopherol, as anticoagulant, 622
- American Heart Association, Inc.  
abstracts for scientific sessions, 960  
annual elections, 158-59  
annual meeting, 795
- assembly panel chairmen, 960  
assembly planning committee, 960  
board of directors, 159  
cardiac-in-industry committee, 160  
career investigator, 319  
committee on anticoagulants, 455  
committee on cardiovascular clinics, 320, 960  
council on high blood pressure research, 320  
council on rheumatic fever and congenital heart disease, 320  
editorial board, 159  
"Examination of the Heart," a booklet, 319  
executive committee, 320  
Gold Heart awards, 159-160  
"Heart Bulletin," 455, 800  
heart models, 160  
new affiliates, 320, 960  
nutrition committee, 160  
policy committee, 960  
program committee, 795  
"Recommendations for Blood Pressure Determinations," 795  
research grants-in-aid, 455, 456  
research program, 455  
residency training, 455  
rheumatic fever symposium, 456  
Scientific Council, 159, 320, 795  
reorganization of, 960  
section on circulation, 799  
traveling scholarship, 456  
West Virginia fellowship, 160  
Wyeth grant, 160
- American Society for the Study of Arteriosclerosis  
proceedings, 461-80  
program, 457-61
- Aminophyllin, 633, 925  
for cardiac asthma, 927  
for left ventricular failure, 770
- Ammonium, 794  
and mercurial diuretics, 94-95
- Ammonium chloride, for hypochloremic alkalosis, 56, 66, 67
- Amputation, after sympathectomy, 411
- Amytal, 229-32
- Anaphylaxis, 785  
following Vasiadone, 153
- Anastomosis, 311  
arteriovenous, 460  
blood vessel, use of tantalum tube in, 157  
carotid-internal jugular, 158  
interarterial coronary, 797-811
- Anemia  
and coronary artery anastomoses, 801-803, 809, 810  
pernicious, cerebral blood flow in, 786  
sickle cell, 453, 454
- Anesthesia  
in cardiac surgery, 310  
cyclopropane, 308  
inhalational, and myocardium, 637  
for surgery in cardiac patients, 430-31
- Aneurysm  
aortic, 948  
congenital, 124  
resection of, 158  
with rupture into duodenum, 790  
with sternal perforation, 945  
surgery for, 470  
cardiac, 937  
dissecting, 948  
angiocardiology in, 127, 131  
of hepatic artery, 158  
mycotic, and valve ring abscesses, 11  
pulmonary arteriovenous, 313  
ventricular, 936  
angiocardiology in, 127
- Angina pectoris, 448  
and ballistocardiographic anoxemia test, 203, 204  
and cardiovascular response to stress, 206-08  
and heparin, 669  
propylthiouracil for, 933  
sympathectomy for, 145
- Angiocardiography, 123-37, 943  
cinelfluorographic  
of ventricular chambers, 211-18  
of ventricular contraction, 219-28  
in patent ductus arteriosus, 777  
in transposition of aorta and pulmonary artery, 334
- Angiography, 639  
in carotid-internal jugular anastomosis, 158  
cerebral, 944, 949
- Angioplethysmography of coronary arteries, 890-97
- Angiotonin, 74, 78-81, 83
- Anoxemia, cardiovascular effect of, 190-209
- Anoxia, 924  
cardiac, and coronary artery anastomoses, 808-09  
and edema, 683-84  
myocardial, and T wave, 540  
oxygen in, 636  
during surgery, 434
- Antibiotics  
and acute bacterial endocarditis, 9, 12  
for cardiac tamponade, 774  
*See also* Aureomycin; Chloromycetin; Penicillin; Streptomycin
- Anticoagulant, 775  
in congestive heart failure, 416-19  
for peripheral vascular disease, 613-23  
for pulmonary embolism, 773  
*See also* Dicumarol; Heparin

- Anticoagulant No. 63, 621, 844-52  
 Antidiuresis, 638  
 Antidiuretic hormone, 691, 692, 878  
   in congestive heart failure, 683  
   inactivation of, 148  
 Antidiuretic material, 275  
 Antistreptolysin, 788  
 Antistreptolysin O, 942  
 Aorta  
   abdominal  
     aneurysm of, 470  
     transection and ligation of, 639  
     visualization of, 157  
   arch of, arteriovenous fistula, 946  
   catheterization of, 157  
   and arterial pressure pulse, 510-20  
   coarctation of, 640, 944  
   angiocardiology in, 124, 125  
   classification, 249  
   electrokymography in, 142  
   with patent ductus arteriosus, 242-50  
   pressure pulse contour, 513-14  
   dilation of, in arachnoidectomy, 635  
   dissecting aneurysm of, 948  
   experimental division of, 639  
   saddle embolus, 640  
   septal defect  
     aortography in, 251-54  
     congenital, 142  
   stenosis of, 951  
   subadventitial irritation, 144  
   transposition, and pulmonary artery, 329-42  
   valvular abscess, 3-8  
   water insoluble 1,2-glycols in, 477  
 Aortitis, syphilitic, 127, 638, 723  
 Aortography  
   catheterization of aorta in, 157  
   retrograde, in aortic septal defect, 251-54  
 Arachnoidectomy, dilatation of aorta in, 635  
 Arch, aortic, arteriovenous fistula of, 946  
 Arrhythmia, 937  
   blood pressure determination in, 506  
   in chronic constrictive pericarditis, 290, 291  
   procaine amide for, 13-22, 387-93  
   during surgery, 434  
   ventricular, and cyclopropane, 433  
   *See also* Fibrillation; Flutter; Tachycardia  
 Arterial tree, constriction of, in chronic hypertension, 83  
 Arteriography, renal, 157  
 Arteriole  
   pulmonary, in Eisenmenger's complex, 347  
   retinal, and flicker fusion threshold, 350  
   thickening of, and desoxycorticosterone acetate, 266  
   vasospasm of, 356  
 Arteriosclerosis  
   angiocardiology in, 126  
   cerebral, 476  
   heredity in, 471  
   peripheral, lumbar sympathectomy for, 402-15  
 Arteriosclerosis obliterans, 616  
 Arteritis  
   acute, 749, 762  
   of striated muscle in rheumatoid arthritis, 947  
   temporal, aureomycin for, 636  
 Arterenol, and nitroglycerin, 535-38  
 Artery  
   asystolic pressure gradient and regional vasomotor tone, 706-14  
   carotid sinus and blood pressure, 581-86  
   coronary  
     anastomoses in, 797-811  
     angioplethysmography, 890-897  
     disease of, and anoxemia, 206-08  
     and lipid metabolism, 468  
     occlusion of, 144  
     and stress, 480  
   hepatic, aneurysm of, 158  
   homograft for resection of thoracic aortic aneurysm, 158  
   internal carotid  
     ligation of, 310, 640  
     spontaneous occlusion, 789  
   peripheral, occlusion of, and anticoagulants, 615  
   pulmonary, 634  
     anomalies, 776  
     pressure in, during commissurotomy, 322-28  
     hypertension of, 918  
     reaction of, to emboli of filter paper fibers, 756-63  
     reaction of, to small emboli, 747-54  
     stenosis of, 640  
     renal, constriction of, 152  
 Arthritis, rheumatoid, 947  
 Ascites, 143  
   in chronic cardiac compression, 818  
   in chronic constrictive pericarditis, 291, 292  
 Aspiration, for cardiac tamponade, 773  
 Asthma  
   bronchial, 793, 926  
   cardiac, 920-28  
 Atabrine, for paroxysmal auricular fibrillation, 767  
 Atherogenesis, cholesterol-induced, 461  
 Atheroma, 36  
 Atheromatosis  
   cholesterol-induced, and diet, 43-46  
   coronary, and estrogens, 468  
   and intermittent feeding, 476  
 Atherosclerosis  
   and adrenalectomy, 462  
   blood lipids in, 666-73  
   and cholesterol-bearing lipoprotein, 464  
   cholesterol-induced, 258-59  
   and choline, 468  
   and experimental renal hypertension, 462  
   macrophage migration in, 557-62  
   and clearing of lipemic plasma by heparin, 677  
   coronary, and lipotropes, 469  
   and desoxycorticosterone acetate, 265, 266-67  
   experimental, 470  
   and ACTH, 475  
   and cortisone, 475  
   transfusion transfer of, 466  
   human vs. experimental, 470  
   lecithin in, 795  
   and liver disease, 30  
   serological studies, 466  
   and serum lipoproteins, 25  
   tritium-labeled cholesterol in, 34-42  
 Atresia, congenital tricuspid, 931  
 Atrioventricular interval, 731  
 Atrium  
   and cardiac output, 487  
   septal defect of, for relief of right ventricular strain, 496  
   *See also* Auricle  
 Atropine, 309, 794, 894, 896  
   sulfate, 570  
   for acute left ventricular failure, 770  
 Aureomycin, 9  
   for subacute bacterial endocarditis, 775, 930  
   for temporal arteritis, 636  
   *See also* Antibiotics  
 Auricle  
   asynchronous excitation of, 145  
   in chronic constrictive pericarditis, 290  
   left, pressure in, 922  
   during commissurotomy, 322-28  
   and procaine amide, 387-93  
   septum, defect of, 775  
   *See also* Atrium  
 Back pain after splanchnicectomy, 179  
 Bacteremia in production of diffuse proliferative glomerulonephritis, 587-602  
 Bacterial endocarditis. *See* Endocarditis, bacterial  
 BAL, response to, of neutropenia following mercupurin, 154  
 Ballistocardiography, 453  
   and cardiac output, 231  
   of cardiovascular effect of anoxemia, 190-209  
   new pickup for, 951  
   with synchronous ECG recording, 239-41  
   two-dimensional, 953  
 Barbiturate. *See* Sodium amytal  
 Barium chloride  
   and cerebral chemoreceptors, 184-86  
   vascular response to  
     in chemically-induced hypertension, 80-81  
     in chronic hypertension, 83  
     in neurogenic hypertension, 74, 78  
     in renal hypertension, 79-80  
 Baroreceptor in brain, 573

- Basal metabolic rate, in chronic cardiac compression, 831
- Bea t, premature, central aortic pressure pulse during, 515
- Benadryl, 571
- Benzodioxane, 570
- Bernheim's syndrome, 953
- Bicarbonate, serum, with hypochloremia, 703
- Biot's breathing, 234
- Bis-trimethylammonium pentane dibromide, 636
- Block  
auriculoventricular, 933  
congenital, 147  
of autonomic ganglions and blood pressure, 569-70  
bundle branch, 779, 936  
left, 935  
cardiac  
complete, 769  
and cardiac glycosides, 731  
intraventricular, 937  
procaine, of lumbar sympathetics, 405
- Blockade  
of epinephrine-induced cardioacceleration, 152
- Blocking agent, autonomic ganglionic, 636
- Blood  
clearing of foreign material from, 762  
electron-histology of, 789  
glucose level of, and pancreatectomy, 256  
hemolyzed, and coronary flow, 152  
lipids, and atherosclerosis, 666-73  
protein, in rheumatoid patients, 943  
sludging, 312  
velocity of flow, 783  
volume of, after pericardiectomy, 827
- Blood cell, cholesterolase in, 478
- Blood clot, pulmonary artery reaction to emboli of, 747-54
- Blood pressure  
and anoxemia, 198  
basal, 506  
and carotid sinus, 567-68  
and central nervous system, 563-74  
in chronic constrictive pericarditis, 291  
and desoxycorticosterone acetate, 264  
and Digoxin, 375  
multiple determinations, 506  
and pentobarbital anesthesia, 71  
peripheral, and cerebral chemoreceptors, 184-89  
after procaine amide, 391  
pulmonary, in chronic constrictive pericarditis, 290  
following quinidine, 527  
regulation, 581-86  
respiratory variations of, 282, 285  
sphygmomanometry, 503-06, 507-09  
systolic, in chronic cardiac compression, 818  
and tetraethylammonium chloride, 569-70  
in thighs, 506  
variation of, in hypertension, 174  
See also Pressure
- Blood vessels  
replacement of, by polythene tubes, 310  
small, physical equilibrium of, 783
- Body fluids, in congestive heart failure, 679-93, 697-704, 868-78
- Book reviews  
Allodi, F.: Il muscolo tensore proprio dell'endocardio, 958  
Altschul, R.: Selected Studies on Arteriosclerosis, 317  
Bauer, J.: Differential Diagnosis of Internal Diseases, 955  
Caló', A.: Les bruits du coeur et des vaisseaux, 958  
Cohn, A. E., and Lingg, C.: The Burden of Diseases in the United States, 958  
Comroe, J. H., Jr., and Dripps, R. D.: The Physiological Basis for Oxygen Therapy, 316  
Dennig, H.: Lehrbuch der Inneren Medizin, 954  
Govea, J., and Aguirre, F.: tomografia clinica cardio-vascular, 318  
Gray, J. S.: Pulmonary Ventilation and Its Physiological Regulation, 955  
Halse, T.: Heparin and Heparinoids; Dicumarol, 316  
Harrison, T. R., Beeson, P. B., Resnik, W. H., Thorn, G. W., and Wintrobe, M. M.: Principles of Internal Medicine, 957  
Hecht, H. H.: Basic Principles of Clinical Electrocardiography, 956  
Heymans, C.: Introduction to the Regulation of Blood Pressure and Heart Rate, 317  
Kienle, F.: Praktische Elektrokardiographie, 315  
Laubry, C., and Soulie, P.: Les maladies des coronaries, 315  
Luisada, A. A.: Heart; A Physiologic and Clinical Study of Cardiovascular Disease, 954  
Marple, C. D., and Wright, I. S.: Thromboembolic Conditions and Their Treatment with Anticoagulants, 317  
Neto, M. R.: Derivacoes unipolares do precordio em criancas normais, 959  
Rosenbaum, F. F.: Clinical Electrocardiography, 316  
Schmidt, C. F.: The Cerebral Circulation in Health and Disease, 316
- Taussig, H. B.: Malformaciones congenitas del corazon, 954
- Vialard, R.: La dissociation auriculo - ventriculaire dans l'infarctus du myocarde, 957
- Youmans, W. B., and Huckins, A. R.: Hemodynamics in Failure of the Circulation, 955
- Bradycardia  
in infant, 784  
sinus, during anesthesia, 434
- Brain  
abscess of, in congenital heart disease, 142  
angiography, 944, 949  
arterial reaction of, to traumatic shock, 946  
and blood pressure, 563-74  
chemoreceptors in, 184  
circulation  
and bilateral stellectomy, 633  
during gravitational stress, 785  
in pernicious anemia, 786  
hypertension following histamine perfusion of, 74  
metabolism, and cardiac output in myxedema, 147  
and parenterally administered digitalis, 105  
See also Cerebrum
- Breathing  
Biot's, 234  
Cheyne-Stokes, in cardiac failure, 233-38
- Bronchial tree, obstruction of, 925
- Buffer nerve, section of, hypertension due to, 70-74, 75
- Bundle, atrioventricular, dissection of, 863-67
- Bundle branch block, 779, 936  
left, 935
- C, 636
- Calcification, in chronic constrictive pericarditis, 289
- Calcium, 794  
in chronic constrictive pericarditis, 289
- Calorimetry, of great toe in peripheral vascular diseases, 120-21
- Cancer, pulmonary, angiocardioraphy in, 132-33
- Cannula  
coronary, 539  
for simultaneous drainage of both cavae, 152
- Capillary circulation, experimental reversal of, 116-19
- Capillary resistance, 314
- Carbon, radioactive, 449
- Carbon dioxide  
and blood pressure, 571  
of serum, in congestive heart failure, 700-01, 702  
vascular response to in hypertension, 83



- Carbon tetrachloride, and serum lipoproteins, 25
- Carcinoma  
inoperable, and anticoagulants, 615  
metastatic pulmonary, 913-19  
*See also* Tumor
- Cardiac asthma, 920-28
- Cardiac force, maximum, and anoxemia, 197
- Cardiac output, 486  
and anoxemia, 190-91, 193-96, 203  
in anoxemia, 198  
and arteriovenous fistula, 947  
ballistocardiography vs. Fick principle, 231  
and congestive failure, 682  
determination of, with iodinated human serum albumin, 552-56  
and Digoxin, 367-77  
and edema of congestive failure, 687  
and heart rate, 487, 490, 491-92  
in hyperthyroidism, 147  
in myxedema, 147  
respiratory variations, 281-82  
and sodium amyltal, 230-32
- Cardiac rate  
and cardiac output, 487, 490, 491-92  
and digitalis, 98-99  
and ejection phase, 516  
and mercurial diuretics, 98-99  
and nitroglycerin, 538  
and stroke volume, 490
- Cardioacceleration, epinephrine-induced, 152
- Cardiomegaly, 803, 838  
and Cheyne-Stokes respiration, 233-38
- Cardiothoracic ratio in transposition of aorta and pulmonary artery, 333
- Carditis, rheumatic  
ACTH for, 638  
 $Q^*$  interval in, 933
- Carotid sinus  
arteries of, 793  
arterial wall of, 635  
and blood pressure, 567-68, 581-86  
distensibility of, 632  
pressure on, for paroxysmal tachycardia, 765
- Catheterization  
aortic, and arterial pressure pulse, 510-20  
cardiac  
in anomalous pulmonary veins, 126  
in chronic constrictive pericarditis, 292  
in pulmonary stenosis, 126  
in transposition of aorta and pulmonary artery, 334
- Cedilanid, 730, 731  
for paroxysmal tachycardia, 765
- Cell  
autonomic ganglion, 884  
hydration of, and sodium excretion, 685
- Kupffer, migration of, in experimental atherosclerosis, 557-62
- Osmoreceptor, 691
- Cerebrum  
abscess of, in congenital heart disease, 142  
chemoreceptors in, 184  
metabolism of, and cardiac output in myxedema, 147  
*See also* Brain
- Cervical rib syndrome, 164
- Chemoreceptor, cerebral, 184-89, 572, 573
- Cheyne-Stokes respiration in cardiac failure, 233-38
- Child, unipolar electrocardiogram in, 420-27  
*See also* Infant
- Chloramphenicol, 625
- Chloride  
concentration of, in intracellular space, 62-63  
in congestive heart failure, 272-74, 699-700, 702, 871  
during diuresis, 877  
excretion of  
and digitalis, 87-89, 91  
and Digoxin, 381-85  
and mercurial diuretic, 92-93  
and Theocaine, 89, 90, 91  
radioactive, 449  
*See also* Electrolyte; Salt; Sodium chloride
- Chloromycetin, for subacute bacterial endocarditis, 775, 930  
*See also* Antibiotics
- Cholesterol  
and carbon tetrachloride poisoning, 26-29  
dietary restriction of, 899-903  
and atherosclerosis, 43  
exogenous, and plasma lipid level, 257  
metabolism, 480  
plasma vs. tissue, 479  
of serum, and rice diet, 150  
tritium-labeled, in experimental atherosclerosis, 34-42
- Cholesterolase, in human erythrocytes, 478
- Cholesterolemia, and desoxycorticosterone acetate, 264
- Choline  
and cholesterol-induced atherosclerosis, 468  
deficiency of, and hypertension, 151
- Cholinesterase, in hypertension, 149
- Chorea, and rheumatic fever, 838
- Cinchoninic acid, derivative of, in collagen diseases, 790
- Cinefluorography, angiocardio-graphic  
of ventricular chambers, 211-18  
of ventricular contraction, 219-28
- Circulation, 783  
arterial, 449  
and body fluid distribution, 685-87  
capillary, experimental reversal of, 116-19
- central, and dye dilution method, 735-45
- cerebral  
and bilateral stellectomy, 633  
during gravitational stress, 785  
in pernicious anemia, 786  
in chronic cardiac compression, 819  
collateral, in chronic pulmonary disease, 786
- coronary  
and hemolyzed blood, 152  
via interarterial anastomoses, 797-811  
and thevetoidin, 860  
digital, 632  
and edema, 688  
endocrine effects on, 444-45  
failure of  
diuretics in, 87-99  
in metastatic pulmonary carcinoma, 913-19  
hepatic, in hyperthyroidism, 147  
after pericardiectomy, 827  
following rapid hemorrhage, 940  
following rapid transfusion, 940  
prolonged, and Cheyne-Stokes respiration, 234-37  
regional, and peripheral resistance, 712-13  
renal, in heart disease, 932  
and respiration, 278-86  
speed of, ventricle to face  
determination of, 905-08  
after sympathectomy, 403  
in toxemia, 305
- Cirrhosis, Laennec's, and atherosclerosis, 30
- Claudication  
intermittent, lumbar sympathectomy for, 406  
after sympathectomy, 402
- Clubbing of fingers, 956  
in transposition of aorta and pulmonary artery, 332, 341
- Coagulation, 295-96  
and hemolytic mechanism, 140
- Coagulation time, and heparin, 616
- Coarctation, aortic, 242, 640, 944  
angiocardiology in, 124, 125  
classification, 249  
electrokymography, in, 142  
pressure pulse contour, 513-14
- Coccidioidomycosis, disseminated, 152
- Cold pressor test vs. nitroglycerin-flicker test, 363-64, 365
- Collagen disease, 790
- Collapse, peripheral, 788
- Commissurotomy, in mitral stenosis, 311  
cardiodynamic effects of, 321-28
- Compression, cardiac, 816-33
- Conduction  
Purkinje, in terminal digitalis poisoning, 733  
ventricular, and cardiac glycosides, 731-34
- Conduction system, cardiac, 881-88
- Congenital heart disease. *See* Heart disease, congenital

- Congestion, pulmonary, 922, 923  
 Congestive heart failure. *See*  
     Heart failure, congestive  
 Contraction, ventricular, 219-28  
     left, 216-17, 221-22  
     right, 214-17, 220, 221  
 Conus, pulmonary, in angiocardiography, 123, 127  
 Cor pulmonale, 949  
     angiocardiography in, 136  
     vs. cardiac asthma, 926  
     and coronary artery anastomoses, 805-06, 809  
     subacute, 913  
 Coronary artery. *See* Artery, coronary  
 Coronary sinus rhythm, 778  
 Cortex, renal, in renal ischemia, 149  
 Cortisone, 147, 446, 796  
     and cholesterol-induced atherogenesis, 461  
     for collagen diseases, 790  
     for disseminated lupus erythematosus, 308  
     in essential hypertension, 781  
     and experimental atherosclerosis, 475  
     for periarteritis nodosa, 308  
     for rheumatic diseases, 942  
     for scleroderma, 796  
     for streptococcal infections, 793  
 Costoclavicular syndrome, 161, 163-64, 171  
 Cottonseed oil, and atherogenesis, 255-60  
 Creatinine, clearance of  
     and blood pressure, 543-48  
     during diuresis, 874  
 Cumertilin, 308  
 Curare, 434  
 Cyanosis, 246, 247  
     in Eisenmenger's complex, 346, 347-48  
     in metastatic pulmonary carcinoma, 918  
     in transposition of aorta and pulmonary artery, 329-33, 340-41  
 Cyclopropane, 308, 433, 637  
     and cardiac overdigitalization, 154  
 Decompensation, cardiac, 433  
 Defibrillator, electric, 792  
 Dehydration  
     cellular, and sodium excretion, 685  
     for rheumatic fever, 157  
     "systemic," 690  
 Delirium, due to digitalis, 155  
 Densography, aortic, 519, 520  
 Depo-Heparin, 396-99  
     in congestive heart failure, 416-19  
 Depressor drugs, and cerebral chemoreceptors, 185, 187-88  
 Desoxy corticosterone acetate, 147, 782  
     and atherosclerosis, 265, 266-67  
     and blood pressure, 264  
     and cholesterolemia, 264  
     and Digoxin, 383  
     hypertensive disease produced by, 784-85  
     and polydipsia, 263  
 Deviation, prerenal, 685-86  
 Diabetes mellitus  
     and arteriosclerotic heart disease, 474  
     gangrene, 796  
     renal function in, 787  
     vascular complications of, 946  
 Diarrhea  
     following quinidine, 526  
     following thevetidin, 860  
 Diastole, in chronic constrictive pericarditis, 290  
 Dibenamine, 782  
     on carotid sinus area, and systemic arterial pressure, 583-85  
     for hypertension, 149  
 Dicoumarin, 931  
 Dicumarol, 614, 615, 617-20  
     in congestive heart failure, 416-19  
     contraindications, 619  
     hypoprote thrombinemia due to, 141, 931  
     for myocardial infarction, 145  
     for pulmonary embolism, 773  
 Diet  
     and atheromatosis, 43-46  
     in essential hypertension, 149  
     low fat, 899-903  
     rice, in hypertensive vascular disease, 150  
 Diethylaminoethanol, for cardiac arrhythmia, 13  
 Diffusion of gas through tissue membrane, 478  
 Digilanid, 447  
 Digitaline, 730, 731  
 Digitalis, 637, 770  
     action of, 96-97  
     for cardiac asthma, 926  
     and cardiac rate, 98-99  
     and conduction, 733  
     delirium due to, 155  
     glycosides of, 96  
     for heart failure  
         chronic, 635  
         congestive, 769  
     for paroxysmal auricular flutter, 767  
     for paroxysmal tachycardia, 765  
     and ventricular tachycardia, 769  
     and urinary excretion, 87-89, 91  
 Digitalization, preoperative, 431-32  
 Digitol, 376  
 Digitoxin, 105  
     vs. ouabain, 732  
     radioactive, fixation of, by isolated hearts, 100-04  
 Digoxin  
     for acute left ventricular failure, 770  
     for congestive heart failure, 769  
     diuretic effects of, 378-86  
     in enlarged hearts, 366-77  
     for paroxysmal auricular flutter, 767  
     for paroxysmal tachycardia, 765  
     Diphenylhydantoin sodium, 145  
     Dissociation, congenital auriculo-ventricular, 147  
 Diuresis  
     for cardiac asthma, 927  
     and digoxin, 378-86  
     fluid exchange during, in congestive heart failure, 868-78  
     in hyponatremic cardiacs, 691  
     mercurial  
         for acute left ventricular failure, 771  
         for congestive heart failure, 308  
     and hyponatremia, 701-02, 703  
 Diuretic  
     in congestive circulatory failure, 87-99  
     mercurial, 792  
         action of, 98  
         augmentation of action of, by ammonium nitrate, 94-95  
     in congestive heart failure, 54-68  
         effect of, on normal subjects, 96  
     and hyponatremia in congestive failure, 691  
     and pulse rate, 95  
     radiomercury labeled, 153  
 Ductus arteriosus, patent, 305  
 angiocardiography in, 126, 777  
     vs. aortic septal defect, 253-54  
     apical diastolic murmur in, 143  
     with coarctation of aorta, 242-50  
 Dye dilution method, 735-45  
 Dyspnea  
     blood pressure determination in, 506  
     in chronic cardiac compression, 817  
     in chronic constrictive pericarditis, 291  
     paroxysmal, 920-28  
     pulmonary, 926  
     following quinidine, 529-30  
 Dystrophy, progressive muscular, 153  
 Ear, sensitivity of, 718  
 Edema  
     of cardiac failure, 680  
         congestive, 270-76, 682-84  
         and cardiac output, 687  
         and circulation, 688  
     in coronary cardiac compression, 817, 818  
     diuresis of, in congestive heart failure, 868-78  
     ion exchange resins in, 777  
     noncardiac, and Digoxin, 382  
     pulmonary, 924  
         neurogenic mechanisms in, 921  
         and "systemic" dehydration, 690  
 Effusion, pericardial, angiocardiography in, 127  
 Eisenmenger's complex, 625  
     dynamics of, 343-48  
     and transposition of aorta and pulmonary artery, 332, 334  
 Electrocardiography, 299-303, 442-44, 627-29, 778, 933-37  
     in anoxemia, 199  
     in chronic cardiac compression, 819

- exercise tests, 146  
 and Gynergen, 154  
 and Hydrergin, 154  
 intracardiac, 145  
 in pericarditis, 292  
 and procaine amide, 16, 390-91  
 replacement transfusions, 146  
 RS-T segment, deviations of,  
   in acute subendocardial  
   injuries, 108-10  
 Stokes-Adams syndrome, 146  
 with synchronous ballistocar-  
   diographic recording, 329-  
   41  
 in transposition of aorta and  
   pulmonary artery, 333  
 unipolar precordial, in children,  
   420-27
- Electrokymography**  
 in coarctation of aorta, 142  
 and positional change of heart,  
   156  
 and pulse recording, 519-20  
 quantitative, 604-12
- Electrolyte**  
 in congestive heart failure, 54-  
   68, 143, 270-76, 680-81,  
   697-704, 871  
 extracellular, 680-81  
 and mercurial diuretic, 92-94  
 intracellular, 681  
 of serum, 697-704  
 during diuresis, 874
- Electron microscopy of plasma  
 lipoprotein molecule, 23-  
 24**
- Embolism**  
 arterial  
   in an extremity, 615  
   in fibrillating left auricle, 615  
 fibrin, 950  
 pulmonary postoperative, 613-14  
   postpartum, 614  
   shock following, 772
- Embolus**  
 cancer cell, 913  
 of filter paper fibers, pulmonary  
   artery reaction to, 756-63  
 minute, pulmonary artery reac-  
   tion to, 747-54  
 pulmonary, heparin for, 400  
 saddle, of the aorta, 640
- Embryo, heart of, 637-38**
- Emetic, thevetoidin as, 859-60**
- Emphysema, pulmonary, angio-  
 cardiography in, 133-34,  
 135**
- Encephalopathy, hypertensive,  
 with hypochloremia, 151**
- Endarteritis, carcinomatous, of  
 pulmonary vessels, 913**
- Endocarditis**  
 following arteriovenous fistulas,  
   139  
 bacterial, 295, 437-38, 625, 775  
 acute, 1  
   experimental, 140  
   subacute, 139, 140, 839-40, 930  
 fetal vegetative, 139  
 and production of diffuse ar-  
   teriovenous proliferative  
   glomerulonephritis, 587-  
   602
- Endocardium**  
 adhesion of emboli to, 751
- fibro-elastosis, 306, 788  
 lesion of, and deviations of RS-T  
   segment, 108-10  
 and rheumatic stigmata, 789
- Endocrine glands**  
 and atheromatosis, 45  
 and circulation, 444-45
- Endothelium, vascular, hyper-  
 plasia of, 749**
- Eosinophil, circulating, 795**
- Ephedrine, 308, 769**
- Epinephrine, 308, 637, 794**  
 for Adams-Stokes seizure, 769  
 cardioacceleration due to, 152  
 and coronary arteries, 894-95,  
   896  
 intracardiac injection of, for  
   cardiac arrest, 434-35  
 and nitroglycerin, 535-37
- Ergotamine tartrate, 570**
- Erythrocyte, 448, 478**
- Esculin, 791**
- Estrogen, and serum lipoproteins,  
 467**
- Etamon, 47, 633**  
*See also Tetraethylammonium  
 chloride*
- Ether, and cardiac overdigitaliza-  
 tion, 154**
- Ethyl alcohol, 309**
- Ethyl biscoumacetate, 775**
- Excitability, ventricular, and car-  
 diac glycosides, 730-31,  
 732-33**
- Exercise test, ECG, 146**
- Extrasystole**  
 and coronary sinus rhythm, 778  
 procaine amide for, 13-15  
 ventricular, and cardiac gly-  
   cosides, 732
- Eye, pressure on, for paroxysmal  
 tachycardia, 765**
- Fallot's tetralogy, 332-34**
- Fat, 464**  
 diet low in, 899-903
- Fatigue**  
 in coronary cardiac compression,  
   817  
 and nitroglycerin-flicker test,  
   355
- Fiber, filter paper, pulmonary  
 artery reaction to emboli  
 of, 756-63**
- Fibrillation, 306**  
 auricular, 941  
   in chronic constrictive peri-  
   carditis, 290  
   and embolism, 615  
   as postoperative complication,  
   435  
   and preoperative digitaliza-  
   tion, 432  
   and procaine amide, 15, 387-90  
   pulse deficit in, 95  
   and thromboembolism, 311  
 paroxysmal, 766-67  
 ventricular, 445  
   during anesthesia, 434-35  
   and procaine amide, 14-16
- Fibrin embolism, 761, 762, 950**
- Fibrosis, pulmonary, 134-35**
- Fibro-elastosis, 306, 788**
- Fick principle, 231**
- Filling, right ventricular, 212-14,  
 215**
- Filter paper fiber, pulmonary  
 artery reaction to emboli  
 of, 756-63**
- Filtration, glomerular, in con-  
 gestive failure, 683**
- Finger**  
 clubbed, 952  
 sensitivity of, to mechanical  
   vibration, 717-19
- Fistula, arteriovenous, 137, 139,  
 946, 947, 948**  
 in production of diffuse pro-  
   liferative glomerulone-  
   phritis, 587-602
- Flicker fusion threshold and nitro-  
 glycerin in cardiovascular  
 disease, 350-57, 359-65**
- Flotation pattern of lipoproteins,  
 28**
- Fluid**  
 body, in congestive heart fail-  
   ure, 679-93, 697-704  
 extracellular, 270, 273-76, 680  
 intracellular, 275, 681, 687, 877-  
   78  
 postoperative administration of,  
   to cardiac patients, 435
- Flutter, 306**  
 auricular  
   in chronic constrictive peri-  
   carditis, 290  
   in infancy, 308  
   and preoperative digitaliza-  
   tion, 432  
   and procaine amide, 15  
   paroxysmal auricular, 767
- Friedreich's ataxia, 789**
- Gaffky tetragen, 139**
- Ganglion, autonomic, blockade of,  
 569-70**
- Ganglionectionomy, for hyperten-  
 sion, 180**
- Gangrene**  
 diabetic, 796  
 after ganglionectionomy, 404  
 and hyperabduction syndrome,  
   161-62
- Gas diffusion, 478**
- Gentisate, 795**
- Globulin, 668**
- Glomerulonephritis**  
 diffuse proliferative, experi-  
   mental production of, 587-  
   602  
 and rheumatic fever, 638
- Glucose, blood level of, and  
 pancreatotomy, 256**
- Glycogen, cardiac, 782, 953**
- 1,2-Glycol, water insoluble, 477**
- Glycoside, cardiac, 765**  
 comparative study of, 729-34  
*See also Digitalis; Thevetoidin*
- Graft, arterial, 158**
- Granuloma**  
 foreign body, 762  
 perivascular, 749
- Gynergen, 154**
- Hands, discoloration of, and hy-  
 perabduction syndrome,  
 167**



- Headache, after splanchnicectomy for hypertension, 179
- Heart
- chronic compression of, 816-33
  - conduction system in, 881
  - congenital anomalies, 296-97
  - cycle, and mitral valve, 576-80
  - decompensation, 433
  - electrical axis of, in chronic cardiac compression, 820
  - electron-histology of, 789
  - embryonic, 637
  - external rupture of, 155
  - glycogen storage, 953
  - in hypertension, 782
  - in hemochromatosis, 634
  - hypertrophy of
    - and Cheyne-Stokes respiration, 233-38
    - and coronary artery anastomosis, 803
    - and Digoxin, 366-77
    - and rheumatic fever, 838
  - isolated, digitoxin fixation in, 100-04
  - muscle
    - contraction of, 376
    - spontaneous rupture of, 152
  - normal, coronary artery anastomoses in, 800-01
  - output. *See* Cardiac output
  - and parenterally administered digitalis, 106
  - performance determinants, 485
  - positional changes of, 156
  - rate
    - and cardiac output, 487, 490, 491-92
    - and digitalis, 98-99
    - and ejection phase, 516
    - and mercurial diuretics, 98-99
    - and nitroglycerin, 538
  - residual blood, 454, 634
  - revascularization of, by vein graft, 945
  - right, in hypertension, 285
  - size, 151
    - in chronic cardiac compression, 822
    - in chronic constrictive pericarditis, 289-90
    - in transposition of aorta and pulmonary artery, 329, 332-33, 341
  - sounds, 719, 724, 727
  - and mitral valve, 576-80
  - standstill of, 769
  - during anesthesia, 434-35
  - neuropsychiatric sequelae of, 784
  - Starling's law, 488, 492
  - tamponade, 773
  - temperature, 786
  - valve rings, abscess of, 1-12
  - and venous input, 486
  - weight, and desoxycorticosterone acetate, 266
- Heart disease
- arteriosclerotic
    - in diabetes mellitus, 474
    - frequency of occurrence, 645, 654-55
  - ascites in, 143
  - congenital
    - angiocardiology in, 124
  - cerebral abscess in, 142
  - cyanotic, 126, 128-29, 626
  - transposition of aorta and pulmonary artery, 329-42
- coronary
- and coronary artery anastomoses, 804
  - nitroglycerin-flicker test in, 362
- epidemiological approaches to, 952
- finding of, with 70 mm. photo-fluorographic film, 641-51, 652-58, 659-65
- hypertensive, frequency of occurrence, 645, 654-55
- mortality from, 950
- and pregnancy, 951
- pulmonary, angiocardiology in, 136-37
- rheumatic
- angiocardiology in, 127, 130
  - frequency of occurrence, 645, 654-55
  - and rheumatic fever, 836-43
  - steroid hormone in, 943
  - ventricle to face circulation time, 907
- simulated by adrenocortical failure, 148
- and surgery, 430-36
- valvular, and coronary artery anastomoses, 803-04, 808
- Heart failure
- chronic, digitalis for, 635
  - congestive, 297-98, 439-40, 777
  - and anticoagulants, 416-19, 615
  - body fluids in, 679-93, 697-704, 868-78
  - Digoxin for, 378-86
  - diuretics in, 87-99, 308
  - edema in, 270-76
  - electrolyte metabolism in, 54-68, 697-704
  - and hyponatremia, 932
  - management of, 769
  - and saliva electrolyte concentrations, 143
  - splenic enlargement in, 942
  - and surgery, 431
  - intractable, 143
  - in "normal" heart, 143
- Heat, local, and skin oxygen tension, 111-15
- Heating, in calorimetry, 120-21
- Hematocrit, in Eisenmenger's complex, 346
- Hemachromatosis, heart in, 634
- Hemoglobinuria, paroxysmal nocturnal, 140
- Hemolysis, and coagulation mechanism, 140
- Hemorrhage
- due to anticoagulant No. 63, 847
  - due to dicumarol, 619
  - postpartum, and anticoagulants, 614
  - rapid, circulatory adjustments following, 940
- Heparin, 615, 616-17, 620
- and angina pectoris, 669, 671
  - anticoagulant action of, 141
  - injection site, 396
  - intramuscular, in Pitkin's menstruum, 141
  - and lipoprotein metabolism, 465, 667
  - for pulmonary embolism, 773
  - for thromboembolic disease, 931
  - and translucence of plasma, 464
  - during alimentary lipemia, 674-78
  - tolerance test, 394-401
  - and xanthoma tuberosum, 669
- Hepatitis, and atherosclerosis, 30
- Heredity of arteriosclerosis, 471
- Hexosamine, serum, 796
- Higgins' India ink, 473
- Histamine, 934
- and cerebral chemoreceptors, 186, 187-89
  - intra-arterial, 633
  - for treatment of claudication, 308
  - as vasoconstrictor, 894, 896
  - vascular response to, in neurogenic hypertension, 73, 83
- Homograft, arterial, 158
- Hormone
- antidiuretic material, 275
  - and atheromatosis, 45
  - and circulation, 444-45
  - steroid, in rheumatic heart disease, 943
- See also* Adrenocorticotrophic hormone; Antidiuretic hormone; Cortisone; Desoxycorticosterone acetate; Estrogen
- Hydration, cellular, and sodium excretion, 685
- Hydrergin, 154
- Hydrogen, radioactive, in experimental atherosclerosis, 34-42
- 4-Hydroxycoumarin anticoagulant No. 63, 844-52
- Hyperabduction syndrome, 161-72
- Hypercholesterolemia, and intermittent feeding, 476
- Hypercholesterolemia, 257, 632
- and adrenalectomy, 462
  - and arteriosclerotic lesions, 463
  - cholesterol-induced and diet, 43-46
  - and electrophoretic pattern of proteins, 467
- Hyperhidrosis, bilateral dorsal, sympathectomy for, 945
- Hyperlipemia, and electrophoretic pattern of proteins, 467
- Hypernatremia, 703
- Hyperphospholipemia, 257
- Hyperplasia
- congenital adrenocortical, 148
  - of vascular endothelium, 749
- Hyperpnea, 571
- Hypertensin. *See* Angiotonin
- Hypertension, 150, 303-05, 445, 629-31, 779-82
- acute
    - adrenaline-induced, 80
    - angiotonin-induced, 81
    - noradrenaline-induced, 81
    - renin-induced, 81, 82
  - angiocardiology in, 126

- asystolic arterial pressure gradient in, 707-10  
arterial pressure pulse contour, 511  
asphyxial, in donor animal, 75  
bilateral thoracolumbar sympathectomy for, 150  
blood pressure variation in, 174  
due to buffer nerve section, 70-74, 75  
cardiac output in, and sodium amyltal, 230-31  
causes of death in, 150  
and choline deficiency, 151  
chronic, arterial tree constriction in, 83  
constitutional factors in, 471  
from desoxycorticosterone acetate, 784-85  
Dibenamine for, 149  
essential  
  diet in, 149  
  serum lipids in, 472  
histamine-elicited, 74-75  
due to increase of intracranial pressure, 75  
ischemic, 74  
neurogenic  
  vs. renal, 82  
  sodium amyltal test for, 232  
  vascular reaction in, 70-79, 82-86  
nitroglycerin-flicker test in, 361-62  
oxygen tension of renal cortex in, 149  
pH of renal cortex in, 149  
protein restriction in, 150  
pulmonary, 948  
  and anoxia, 924  
  in Eisenmenger's complex, 346, 347  
  due to lycopodium spores, 941  
of pulmonary artery, 918  
regional vasomotor tone in, 706-14  
renal  
  acute vs. chronic, 84  
  and cholesterol-induced atherosclerosis, 462  
  vs. neurogenic, 82  
  vascular response in, 79-80  
renal venous, and renal tubular reabsorption of sodium, 683  
respiratory variations in, 285  
and retinal vasospasm, 356  
salt restriction in, 150  
serum cholinesterase in, 149  
splanchicectomy for, 173-83  
and vascular disease, 472  
vascular reactivity in, 70-86  
Hyperthyroidism, 148  
and cardiac decompensation, 433  
cardiac output in, 147  
Hypertrophy  
  cardiac, 803, 838  
  and Cheyne-Stokes respiration, 233-38  
  and Digoxin, 366-77  
  ventricular, 935, 942  
  in children, 427  
Hypochloremia  
  in congestive heart failure, 681  
  with hypertensive encephalopathy, 151  
  and serum bicarbonate, 703  
Hypokalemia, 791  
Hyponatremia  
  in congestive heart failure, 681, 932  
  of the low-salt syndrome, 690-91  
  and mercurial diuresis, 701-02, 703  
Hypoprothrombinemia  
  due to anticoagulant No. 63, 844-52  
  dicumarol-induced, 141, 931  
Hypotension, 434  
asystolic arterial pressure gradient in, 709  
  following cerebral action of adrenaline, 571-73  
  following limitation of potassium intake, 156  
  orthostatic, after splanchicectomy, 179  
  and procaine amide, 16  
Hypothermia, cardiac oxygenation during, 633  
Hypoxemia test, 454  
Hypoxia, and congestive failure, 683  
Infant  
  bradycardia in, 784  
  cardiac disease in, simulated by adrenocortical failure, 148  
  ECG, unipolar, 420-27  
  interstitial myocarditis in, 785  
  paroxysmal tachycardia in, and digitalis, 765  
  sodium "space" in, 941  
Infarction  
  myocardial, 298-99, 440-42, 626, 778  
  and coronary occlusion, 470  
  dicumarol for, 145  
  and quinidine for paroxysmal auricular fibrillation, 766  
  and serum lipids, 465  
  shock in, 771-72  
  shoulder-hand syndrome in, 144  
  due to subadventitial irritation of aorta, 144  
  and surgery, 432, 433  
  ventricular tachycardia associated with, 522-32  
  pulmonary, anticoagulant therapy in, 417-18  
Insufficiency, myocardial, 432  
Interval, atrioventricular, 731  
Intima, adhesion of emboli to, 751  
Iodine, radioactive, 447, 464  
  in determination of cardiac output, 552-56  
Ion exchange resins, in edema, 777  
Ionium, 557  
Ipecac, syrup of, for supraventricular tachycardia, 766  
Ischemia  
  myocardial, 626  
  renal, 149  
Isuprel, 570  
Khellin, 448  
Kidney  
  arterial vasculature, 950  
arteriography, 157  
asystolic arterial pressure gradient in, 709  
circulation, in heart disease, 932  
in congestive heart failure, 275  
cortex of, in renal ischemia, 149  
during diuresis, 877  
effect of digitalis on, 96  
function  
  and blood pressure, 541-50  
  and body fluids, 684  
  in diabetes mellitus, 787  
  and Digoxin, 380-86  
  in heart disease, 306  
  during intracranial air studies, 305  
glomerular filtration, in congestive failure, 683  
and parenterally administered digitalis, 106  
and total peripheral resistance in renal hypertension, 713  
tubular reabsorption, in congestive failure, 683  
K-strophanthoside, 731  
Kupffer cell, migration of, in experimental atherosclerosis, 557-62  
Kymography, in chronic cardiac compression, 822  
Lanatoside C, 765, 767, 770  
Law of the heart, 488, 492  
Law of uniformity of behavior, 486  
Lead  
  unipolar limb, in children, 424  
  unipolar precordial, in children, 420-24  
Lecithin, 795  
Ligation, for thromboembolic disease, 931  
Limb, asystolic arterial pressure gradient in, 709  
Lipemia, alimentary, 464  
  and clearing of plasma by heparin, 674-78  
Lipid, 463  
  and coronary arteries, 468  
  in plasma, and exogenous cholesterol, 257-58  
  in serum  
    and acute myocardial infarction, 465  
    in cerebral arteriosclerosis, 476  
    and diet, 474  
    in essential hypertension, 472  
    and estrogen, 467  
    and proteins, 467  
    and thyroid gland, 477  
    variability of, 469  
  in tissue, and exogenous cholesterol, 258  
Lipoprotein  
  and atherosclerosis, 666-73  
  in cirrhosis of liver, 30  
  cholesterol-bearing, 464  
  and heparin, 465  
  in serum  
    and carbon tetrachloride poisoning, 25  
    and estrogen, 467  
    labeled, 475  
    and the thyroid gland, 477

- Lipotropes, and coronary atherosclerosis, 469
- Liver  
ascites in, 143  
blood flow in, and posture, 785  
cholesterol in, 35  
in chronic constrictive pericarditis, 291  
cirrhotic, and atherosclerosis, 30  
in experimental renal hypertension, 779  
fatty, and lipoprotein metabolism, 29  
and parenterally administered digitalis, 106  
in Pick's disease, 290  
presystolic pulsation, 448  
and toxicity of tetraethylammonium chloride, 51
- Low-salt syndrome, 690-91, 703
- Lung  
chronic disease of, 786  
congestion of  
in cardiac asthma, 921  
passive, 923  
edema, 924  
embolus, heparin for, 400  
emphysematous, angiocardioraphy in, 133-34, 135  
fibrotic, angiocardioraphy in, 134-35  
hypertension, 948  
and anoxia, 924  
due to lycopodium spores, 941  
infarction, anticoagulant therapy in, 417-18  
lymph production, 924  
metastatic carcinoma of, 913-19  
and parenterally administered digitalis, 106  
in transposition of aorta and pulmonary artery, 333, 341  
tuberculous, angiocardioraphy in, 135-36  
tumor, angiocardioraphy in, 127, 132-33, 134  
venous obstruction, 948
- Lupus erythematosus, disseminated, 308, 454, 796, 950, 952
- Lycopodium spores, pulmonary hypertension due to, 941
- Lymph, pulmonary, 924
- Lymph node, mediastinal, 453
- Lymphangitis, carcinomatous, suffocating form of, 913
- Macrophage, migration of, in experimental atherosclerosis, 557-62
- Magnesium, 794
- Malformation, angiomatous, 450
- Malnutrition, and atheromatosis, 45
- Fast test  
vs. anoxemia test, 202  
vs. nitroglycerin-flicker test, 363-64, 365
- Mecholyl, 570, 766  
and cerebral chemoreceptors, 186, 187
- Mediastinum, tumor of, angiocardioraphy in, 127, 130-32, 133
- Menadione bisulfite  
and dicumarol, 620  
and anticoagulant No. 63, 621, 847-52
- Menadione sodium bisulfite, 845
- Mercurhydrin, 447, 793  
and hypertonic sodium chloride, 65
- metabolic alkalosis from, 56
- Mercumatin, 308
- Mercupurin, 94
- Mercury  
bodily location of, after mercurial diuresis, 95  
and low-salt syndrome, 690
- Mesentery, asystolic arterial pressure gradient in, 709
- Metastasis, pulmonary carcinomatous, 913-19
- Methonium compounds, for hypertension, 474
- Micrococcus tetragena, 139
- Microscopy, electron, 789
- Mitral valve. *See* Valve, mitral
- Morphine  
for cardiac asthma, 927  
quinidine following, 526  
for shock in myocardial infarction, 772  
for ventricular failure, 770
- Mortality  
from circulatory diseases in Norway, 949  
from heart disease, 950, 951  
postoperative, in chronic cardiac compression, 825-26  
from rheumatic fever, 943  
from rheumatic heart disease, 837, 838
- Murmur  
in aortic septal defect, 253  
apical diastolic, in patent ductus arteriosus, 143  
in chronic constrictive pericarditis, 291  
intrathoracic, 796  
phonocardiographic analysis, 720-26  
in rheumatic heart disease, 842
- systolic  
due to external rupture of heart, 155  
in transposition of aorta and pulmonary artery, 332, 333, 341  
vibratory frequency of, 719, 727
- Muscle  
cardiac, 486, 794  
circulation in, after sympathectomy, 403  
conduction through, and digitalis, 733  
fatigue, after adrenalectomy, 148  
metabolism of, in heart failure, 376  
papillary, of heart, 152  
and parenterally administered digitalis, 106  
skeletal, 62-63
- striated, 947  
and water transfer, 689-90
- Muscular dystrophy, progressive, myocardial lesions in, 153
- Myocarditis  
hypokalemic, 153  
interstitial, 782, 785
- Myocardium  
antiadrenergic effects of nitroglycerin upon, 534-40  
in chronic constrictive pericarditis, 289  
contusion, 307  
and coronary artery anastomoses, 806-07  
in disseminated coccidioidomycosis, 153  
infarction of. *See* Infarction, myocardial  
and law of the heart, 492  
in progressive muscular dystrophy, 153  
venous system of, 881-88  
viscosity of, 226
- Myosin, 376
- Myxedema, cardiac output in, 147
- Necrosis  
experimental arterial, 467  
myocardial, without interstitial infiltration, 909-12
- Negro, mortality from heart disease, 950
- Neosynephrine, 434  
for paroxysmal supraventricular tachycardia, 154  
for shock in myocardial infarction, 772
- Nerve  
aortic depressor, and blood pressure, 568  
cholinergic, 896  
histaminergic, 896  
vagus  
and blood pressure, 568  
and nodal rhythm, 152  
and thevetidin, 859  
and veratrum derivatives, 794
- Nervous system, central, and pressor agents, 563-74
- Neurectomy, splanchnic. *See* Splanchnicectomy
- Neurovascular syndrome arising in the shoulder, 161-64
- Neutropenia, following mercurpurin, 154
- Newborn, valvular thrombotic vegetations in, 139
- Nicotine, and cerebral chemoreceptors, 185-86
- Nitrogen, in congestive heart failure, 64
- Nitroglycerin, 794  
for acute left ventricular failure, 770  
antiadrenergic effects of, 534-40
- Nitroglycerin-flicker test in cardiovascular disease, 350-57, 359-65
- Node, atrioventricular dissection of, 863-67
- Noradrenaline  
on carotid sinus area, and systemic arterial pressure, 582-85

- and hypertension, 72, 73, 75, 78-81, 83  
and isolated perfused central nervous system, 565-74  
Norepinephrine, 150, 782, 792  
and coronary artery, 895, 896  
Normotension  
  asystolic arterial pressure gradient in, 709  
  respiratory variations in, 285  
Norway, mortality from circulatory diseases, 949  
Numbness, in hyperabduction syndrome, 166
- Obesity, and atheromatosis, 43  
Obstruction, pulmonary venous, 948  
Occlusion, 615  
  coronary, 804-05  
    and myocardial infarction, 470  
    surgery for, 144  
  and digital blood flow, 632  
  spontaneous, of internal carotid artery, 789  
  venous, 948  
Orthopnea, in coronary cardiac compression, 817  
Osmolarity, intracellular, 878  
Osmoreceptor cell, 691  
Ouabain, 730, 731, 765, 767, 769, 770  
  vs. digitoxin, 732  
Overfeeding, and atheromatosis, 43  
Overhydration, cellular, 691  
Oximetry, 314  
Oxygen  
  for acute left ventricular failure, 770  
  in anoxia, 636  
  for cardiac asthma, 926-27  
  and congestive failure, 683  
  percentage saturation of, in transposition of aorta and pulmonary artery, 334  
Oxygen tension  
  of renal cortex, in renal ischemia, 149  
  of skin, effect of local heat on, 111-15  
Oxygen therapy, 155  
Oxygenation, cardiac, during severe hypothermia, 633
- P wave, 934  
  in children, 423-24  
  in chronic cardiac compression, 820  
  in transposition of aorta and pulmonary artery, 333  
Pacemaker, supraventricular, and procaine amide, 15  
Pain, 633  
  in hyperabduction syndrome, 166  
  after splanchnicectomy, 179  
  Palpation of cardiac thrills, 716-27  
  Palsy, supranuclear bulbar, 449  
Pancreatectomy  
  and blood glucose levels, 256  
  and plasma lipid level, 257-58  
  and tissue lipid level, 258  
Papaverine, 585, 632  
Paper fibers, pulmonary artery reaction to emboli of, 756-63  
Papilledema, 177  
Paraaminobenzoic acid, 793  
Paraaminohippurate, clearance of, and blood pressure, 543-48  
Paracentesis, in coronary cardiac compression, 817  
Paredrine, 769, 772  
Paresthesia, and hyperabduction syndrome, 166-67  
Paritol, 622  
PAS-positive material, 473  
Patent ductus arteriosus. *See* Ductus arteriosus, patent  
Pelentan, 621  
Penicillin, 9  
  for cardiac tamponade, 774  
  for rheumatic fever, 156, 157, 943  
  *See also* Antibiotics  
Pentobarbital, and blood pressure, 71  
Perfusion  
  circuit for varying blood pressure to the kidney, 542  
  of isolated central nervous system, 564-65  
Periarthritis, due to propylthiouracil, 155  
Pericardiectomy, for chronic cardiac compression, 824-25  
Pericarditis  
  acute benign, 793  
  prior to chronic cardiac compression, 829, 830  
  chronic constrictive, 288-94, 816-33  
  nonspecific, 787  
  tuberculous, 288, 291, 791  
  streptomycin for, 635  
Pericardium  
  and chronic constrictive pericarditis, 289  
  congenital absence of, 639, 944  
Perinephritis  
  cellophane, vascular response to, 79-80  
Peritonitis  
  chronic fibrous, and chronic constrictive pericarditis, 290  
Pernicious anemia, 786  
pH of renal cortex in renal ischemia, 149  
Phenobarbital sodium, 145  
Phenylindanedione, 622  
Pheochromocytoma, 631, 781, 782  
Phlebothrombosis, heparin for, 399-400  
Phlebotomy, bloodless  
  for acute left ventricular failure, 771  
  for cardiac asthma, 927  
Phonocardiography, of cardiac thrills, 720-26  
Photofluorography, 70 mm. film, for heart disease case finding, 641-51, 652-58, 659-65  
Phosphorus, radioactive, for polycythemia vera, 615  
Pitkin's menstrum, intramuscular heparin in, 141  
Pituitary body  
  and atheromatosis, 45  
  posterior, inactivation of anti-diuretic hormone from, 148  
Pituitrin, 434  
Plasma  
  during alimentary lipemia, and heparin, 674-78  
  glucose level in, and pancreatectomy, 256  
  lipid level in, and exogenous cholesterol, 257-58  
  lipoprotein in, electron micrograph of molecule of, 23-24  
  postheparin, globulin fractions from, 668  
  translucence of, and heparin, 464  
  viscosity of, 141  
Pleonomia, pulmonary, 329  
Pleuritis  
  in chronic cardiac compression, 829  
  chronic constricting, and chronic constrictive pericarditis, 290  
Pneumoconiosis, right ventricular hypertrophy in, 307  
Polarography, skin oxygen tension, effect of local heat on, 111-15  
Poliomyelitis, acute, 788  
Polyanhydromannuronic acid, polysulfuric acid ester of, 622  
Polycythemia vera, and anticoagulants, 615  
Polydypsia, and desoxycorticosterone acetate, 263  
Polyserositis, 290  
Polythene tubing, 310  
Posture, and hepatic blood flow, 785  
Potassium, 794, 874  
  concentration of, in intracellular space, 62-64  
  in congestive heart failure, 871  
  excretion, 782  
  and Digoxin, 381-85  
  renal, 62  
  limited intake of, and hypotension, 156  
  salts of, in heart disease, 795  
  in serum, in congestive heart failure, 701  
Potassium chloride on carotid sinus area, and systemic arterial pressure, 583-84  
P-R interval  
  in chronic cardiac compression, 819  
  after procaine amide, 390  
Pregnancy, 148  
  arteriosclerotic toxemia of, 312  
  in cardiac patient, 951  
  and inactivation of antidiuretic hormone, 148  
Preponderance, ventricular, 147  
Prerenal deviation, 685-86  
Pressoreceptor, carotid sinus stimulation of, 585  
Pressor drugs, and cerebral chemoreceptors, 184-87  
Pressure  
  arterial, 150  
  and carotid sinus, 581-86  
  pulmonary, 322-28



- and renal function, 541-50
  - after tetraethylammonium chloride, 74
  - and thevetoidin, 860
- asystolic arterial gradient, and regional vasomotor tone, 706-14
- auricular, 322-28
- on carotid sinus, for paroxysmal tachycardia, 765
- diastolic, auscultatory determination, 505
- interatrial, and pulmonary stenosis, 498
- intra-atrial, 579
- intracardiac, in transposition of aorta and pulmonary artery, 334
- intracranial, hypertension due to increase of, 75
- intrathoracic, 284-85
  - and pulmonary edema, 924
- ocular, for paroxysmal tachycardia, 765
- perfusion, in isolated head, 568-69
- presystolic, 486
- renal interstitial, 549-50
- systolic
  - auscultatory determination, 504-05
  - palpatory determination, 504
- venous
  - in chronic cardiac compression, 831
  - and mercurial diuretics, 94
  - after pericardiectomy, 826-27
  - pulmonary, in Eisenmenger's complex, 346
- See also* Blood pressure; Hypertension
- Pressure pulse, arterial, 510-20
- Priscoline, 571, 585, 783
  - peripheral vasodilator action of, 309
- Procaine
  - for scleroderma, 636
  - for ventricular fibrillation, 435
- Procaine amide
  - for Adams-Stokes syndrome, 769
  - for arrhythmias, 13-22
  - supraventricular, 387-93, 765
- Procaine amide hydrochloride, 434
  - for ventricular tachycardia, 768-69
- Pronestyl, 765, 768-69
- Propylthiouracil
  - for angina pectoris, 933
  - periarteritis due to, 155
- Prostigmine, 434
- and toxicity of tetraethylammonium chloride, 51
- Protein, 25
  - in blood, in rheumatoid patients, 943
  - electrophoretic pattern of, and serum lipids, 467
  - restriction of, in hypertension, 150
  - in serum, in chronic cardiac compression, 818
- See also* Lipoprotein
- Prothrombin, activity of, and dicumarol, 618
- Prothrombin time, dilute, in thromboembolic disease, 142
- Quick's test, 618
- serum, 141
- Pulmonary artery, transposition of and aorta, 329-42
- Pulsation of pulmonary artery, in transposition of aorta and pulmonary artery, 333, 341
- Pulse
  - arterial pressure, 510-20
  - obliteration of, and hyperabduction of arm, 162, 169
  - velocity of, 516-17
- Pulse pressure
  - and anoxemia, 198, 205
  - mean arterial, and renal function, 541-50
  - after pericardiectomy, 827
  - after quinidine, 529
- Pulse rate
  - and anoxemia, 196, 200
  - and digitalis, 89
  - and mercurial diuretics, 95
  - after pericardiectomy, 826
- Pulsus alternans, blood pressure determination in, 506
- Purpura, thrombocytopenic, 447
- Q wave, in children, 427
- Quick prothrombin time test, 618
- Quinacrine, for paroxysmal auricular fibrillation, 767
- Quinidine, 446, 794
  - for Adams-Stokes seizure, 769
  - febrile reactions to, 793
  - intravenous administration, 768
  - for paroxysmal auricular fibrillation, 766-67
  - for tachycardia, 522-32, 765, 768
- Quinidine gluconate, 524-26
- Quinidine lactate, 523-24, 526
- QRS complex
  - in chronic cardiac compression, 819
  - in infant, 421-23, 424, 426-27
  - and procaine amide, 16, 390
  - and quinidine, 529, 531
- Q-T interval
  - in acute rheumatic carditis, 933
  - and procaine amide, 16, 391
- Race, and heart disease, 644-45
  - mortality, 951
- Radiocarbon, 449
- Radiochloride, 449
- Radioiodine, 447, 464
  - in determination of cardiac output, 552-56
- Radioisotope
  - in digitoxin fixation in isolated hearts, 100-04
  - in experimental atherosclerosis, 34-42
- Radiomercury, diuretic labeled with, 163
- Raynaud's syndrome, and hyperabduction syndrome, 166
- Reabsorption, tubular, in congestive failure, 683
- Red cell, 448, 478
- Regurgitation
  - aortic
    - phonocardiogram of, 723
    - pressure pulse contour, 511-13
  - mitral, and rheumatic heart disease, 841
- Renin, 79, 81, 82
- Resins, ion exchange, in edema, 777
- Resection, pericardial, for chronic constrictive pericarditis, 293
- Resistance
  - collateral, 947
  - peripheral
    - in neurogenic hypertension, 84
    - and regional circulations, 712-13
    - and sodium amytal, 229-32
- Resistometer, capillary, 314
- Respiration
  - Cheyne-Stokes, in cardiac failure, 233-38
  - collateral, 951
  - and circulatory changes, 278-86
  - after tetraethylammonium chloride, 47-52
- Retinopathy, diabetic, 791
- Revascularization, cardiac, 945
- Rheumatic disease
  - ACTH for, 942
  - blood proteins in, 943
  - cortisone for, 942
  - See also* Heart disease, rheumatic
  - and chronic cardiac compression, 829-30
  - and chronic constrictive pericarditis, 289
  - dehydration treatment for, 157
  - and glomerulonephritis, 638
  - mortality from, 943
  - penicillin for, 156, 157, 943
  - and rheumatic heart disease, 836-43
  - See also* Heart disease, rheumatic
- Rheumatic heart disease. *See* Heart disease, rheumatic
- Rhythm
  - coronary sinus, 778
  - nodal, 637
  - and vagal nerves, 152
- Rice diet, 150, 781
- Ring, of heart valves, abscess of, 1-12
- Roentgenography, 449, 639
  - in chronic cardiac compression, 820-24
  - in chronic constrictive pericarditis, 291
  - mass tuberculosis surveys, and heart disease findings, 641-51, 652-58, 659-65
- Rupture, spontaneous, of papillary muscle of heart, 152
- Rutin, 313, 791
- S wave, 933
- Salicylate, 795
- Saliva, electrolyte concentrations in, 143
- Salt
  - depletion of, in congestive heart failure, 54-68



- restriction of, in hypertension, 150
- Salt depletion syndrome, 791
- Salyrgan, 94
- Salyrgan-theophylline, 94
- Scalenus anticus syndrome, 164, 171
- Scarlet fever, antistreptolysin in, 788
- Scleroderma, 796
- procaine for, 636
- Sclerosis, pulmonary, 307
- Screening tests in mass surveys, and heart disease case finding, 659-65
- Sedimentation rate, in chronic cardiac compression, 819
- Septum
- aortic, congenital defect of, 142, 251-54
- auricular, defect of, 775
- defect of, angiocardiology in, 125-26
- interatrial, defect of, for relief of right ventricular strain, 496-501
- ventricular, and Eisenmenger complex, 625
- Serum
- albumin, 307
- carbon dioxide, in congestive heart failure, 700-01
- cholesterol, and rice diet, 150
- cholinesterase, in hypertension, 149
- electrolytes
- in congestive heart failure, 56, 697-704
- during diuresis, 874
- hexosamine, 796
- lipoprotein, and carbon tetrachloride poisoning, 25
- protein, in chronic cardiac compression, 818
- prothrombin time, 141
- sodium, in congestive heart failure, 271
- urea nitrogen, in congestive heart failure, 64-65
- Sex
- and heart disease, 644
- mortality, 951
- and hyperabduction syndrome, 165
- Shock
- asystolic arterial pressure gradient in, 709
- atrial pressures in, 305
- in myocardial infarction, 771-72
- following pulmonary embolism, 772
- due to sodium depletion, 687
- traumatic, arterial reaction of brain to, 946
- Shoulder girdle syndromes, 161-70
- Shoulder-hand syndrome, postinfarctional, 144
- Shunt
- arteriovenous, 314
- in Eisenmenger's complex, 346-48
- intracardiac, and ventricle to face circulation time, 906-08
- left-right, angiocardiology in, 125
- in transposition of aorta and pulmonary artery, 340
- Sickle cell anemia, 453, 454
- Sinusoid, myocardial, 882-88
- Skin
- circulation in, after sympathectomy, 403
- oxygen tension of, effect of local heat on, 111-15
- temperature of, and tetraethylammonium chloride, 48-49
- Sludging, 312
- Sodium
- concentration of, in intracellular space, 62-64
- in congestive heart failure, 270-76, 680-81, 871
- depletion of
- and shock, 687
- "systemic," 690-91
- during diuresis, 877
- excretion of, 684-85
- and blood pressure, 543-50
- and Digoxin, 380-86
- after renal arterial constriction, 152
- after renal venous hypertension, 683
- postoperative administration of, to cardiac patients, 435
- in serum, in congestive heart failure, 699, 701-02
- "space," 941
- See also Electrolyte; Salt
- Sodium amytal, hemodynamic action of, 229-32
- Sodium azide, in hypertension, 74, 78-81, 83, 85
- Sodium chloride, hypertonic, 65, 67
- Sodium nitrate, 357
- Sodium Pentothal, 433
- Sounds
- second, and transposition of aorta and pulmonary artery, 332, 341
- cardiac, 156
- Sphygmomanometry, 503-06, 507-09
- Spinal cord, section of, 78, 570
- Splanchnicectomy
- for hypertension, 173-83
- transthoracic and extraperitoneal approach for, 151
- Spleen, enlargement of, 942
- Squatting, in transposition of aorta and pulmonary artery, 332
- S-T segment, after procaine amide, 391
- Starling's law of the heart, 488, 492
- Starvation, and atheromatosis, 43-46
- Stellectomy, bilateral, and cerebral circulation, 633
- Stenosis
- aortic, 432, 796
- angiocardiology in, 124
- phonocardiogram of, 725, 726
- syncope in, 951
- arterial, 948
- pulmonary, 640
- infundibular, and transposition of aorta and pulmonary artery, 339-40
- mitral, 310, 790
- angiocardiology in, 127, 130
- circulatory dynamics, 633
- commissurotomy for, 311, 321-28
- and heart rate, 580
- phonocardiogram of, 725
- and rheumatic heart disease, 841
- pulmonary, 310
- angiocardiology in, 126
- congenital, 776, 932
- in Eisenmenger's complex, 346
- and interatrial pressure, 496-501
- and ventricle to face circulation time, 906, 907-08
- tricuspid, 448
- valvular, estimation of degree of, 632
- Steroid, adrenal cortical, in congestive heart failure, 683
- Sterol, excretion of, 480
- Stokes-Adams syndrome, 146, 432, 769
- Stomach, thoracic, simulating left ventricular failure, 144
- Strain, right ventricular, relief of, 496-501
- Streptococcus fecalis*, 140
- Streptodornase, 796
- Streptokinase, 796
- Streptomycin, 9
- for subacute bacterial endocarditis, 930
- for tuberculous pericarditis, 635, 791
- See also Antibiotics
- Stress
- arteriovenous fistula, in production of diffuse proliferative glomerulonephritis, 587-602
- effect of, on coronary arteries, 480
- Stroke index, 284-85
- Stroke volume
- and anoxemia, 196-97, 205
- and heart rate, 490
- mechanics for increasing, 226
- after pericardiectomy, 827
- and sodium amytal, 230
- ventricular, respiratory variations of, 282-85
- Strontium, 794
- Strophanthidin, acetyl, for paroxysmal tachycardia, 765
- Strophanthoside, 731
- Strophosid, 730, 731
- Surgery, 310-11, 639
- for angiomatous malformations, 450
- for aneurysm of abdominal aorta, 470
- of cardiac patient, 945
- for cerebral abscess in congenital heart disease, 142
- for chronic cardiac compression, 824-25
- for chronic constrictive pericarditis, 290, 292, 293
- for coronary artery occlusion, 144

- management of cardiac patients for, 430-36
- planchnicectomy for hypertension, 173-83
- Sympathectomy, 311, 450, 633
  - for angina pectoris, 145
  - bilateral dorsal, for hyperhidrosis, 945
  - cardiac, vascular response to, 78-79
  - for hypertension, 780
  - lumbar
    - for obliterative arteriosclerosis, 402-15
    - for peripheral vascular disease, 314
  - sodium amyltal for, 231
  - surgical, and blood pressure, 570
  - thoracic, 637
  - thoracolumbar, 150
  - total lumbodorsal, 78
  - transthoracic and extraperitoneal approach for, 151
  - vascular response to, 78, 83
  - See also Splanchnicectomy
- Syncope
  - in aortic stenosis, 951
  - orthostatic, after splanchnicectomy, 179
- Syphilis, aortic, angiocardigraphy in, 127
- Systole
  - in chronic constrictive peritonitis, 290
  - electrical, in chronic cardiac compression, 820
  - premature
    - central aortic pressure pulse during, 515
    - procaine amide for, 390
- T-1824, kinetics, 156
- T wave, 934
  - in children, 422, 423, 424
  - in chronic cardiac compression, 819, 831
  - and myocardial anoxia, 540
  - and procaine amide, 16, 391
- Tachycardia
  - auricular, management of, 764
  - nodal, and procaine amide, 15
  - supraventricular, paroxysmal
    - management of, 764-66
    - neo-synephrine for, 154
    - procaine amide for, 390, 434
  - ventricular, 637
    - during anesthesia, 434
    - ectopic, 145
    - management of, 767-69
    - paroxysmal, 778
    - procaine amide for, 14-16
    - quinidine for, 522-32
- Tamponade, cardiac, 773
- Tantalum tube, in non-suture method of blood vessel anastomosis, 157
- Temperature
  - in chronic cardiac compression, 818
  - intracardiac, 786
  - of skin, effect of tetraethylammonium chloride on, 48-49
  - teratoma, mediastinal, angiogram of, 133
- Tetraethylammonium chloride
  - and blood pressure, 569-70
  - in great toe calorimetry in peripheral vascular disease, 120-21
  - peripheral vasodilator action of, 309
  - respiratory complications from, 47-52
  - and skin temperature, 48-49
  - response to
    - in hypertension, 72-75, 79-81, 83, 84
    - after splanchnicectomy, 179
- Thebesian veins, 882
- Theocalcin, 89, 90, 91, 97-98
- Theophylline, 94
- Theophylline diethanolamine, 635
- Theophylline ethylene diamine, 925
- Thevetoidin, 854-61
- Thigh, blood pressure in, 506
- Thiomerin, 447, 771
- Thiopental sodium, 154
- Thiouracil, 148, 635
- Thirst
  - and desoxycorticosterone acetate, 263
  - in hyponatremic cardiacs, 691
  - and intracellular overhydration, 691
- Thoracentesis, in coronary cardiac compression, 817
- Thorium, 230, 557
- Thrill
  - palpable, 716-27
  - systolic, due to external rupture of heart, 155
  - in transposition of aorta and pulmonary artery, 332, 341
- Thromboangiitis obliterans, 121, 616
- Thromboembolic disease, 931
  - dilute prothrombin time in, 142
- Thromboembolism
  - and auricular fibrillation, 311
  - in congestive heart failure, 416-19
  - prevention, 946
- Thrombophlebitis, 614-15
- Thrombosis
  - allergic, of retinal veins, 949
  - and anticoagulant therapy in peripheral vascular disease, 613
  - axillary venous, and hyperabduction syndrome, 169
  - coronary
    - constitutional factors in, 471
    - See also Infarction, myocardial
  - left auricular appendage, 946
  - Thymoma, angiocardigraphy in, 131, 132
  - Thymus, hypertrophy, 639
  - Thyroid gland, and blood lipids, 477
  - Thyrotoxicosis, and cardiac decompensation, 433
  - Time-concentration curve in flow systems, 735-45
  - Tissue
    - fluids in, and congestive heart failure, 679
    - lipid in, and exogenous cholesterol, 258
    - membrane of, gas diffusion through, 478
    - peripheral, and water transfer, 689
  - Tone, vasomotor, in hypertension, 706-14
  - Tourniquets, for cardiac asthma, 927
  - Toxemia
    - arteriosclerotic pregnancy, 312
    - circulation in, 305
  - Toxicity of tetraethylammonium chloride, 49-52
  - Toxoplasmosis, 454
  - Transfusion
    - rapid, circulatory adjustments following, 940
    - replacement, ECG changes during, 146
    - for shock in myocardial infarction, 772
  - Transplant, human arterial, for resection of thoracic aortic aneurysm, 158
  - Transposition of aorta and pulmonary artery, 329-42
  - Tricuspid valve, congenital atresia of, 931
  - Tritium, in experimental atherosclerosis, 34-42
  - Tromexan, 620-21, 775
  - Tubercle bacillus, and chronic constrictive pericarditis, 288
  - Tuberculosis
    - and chronic cardiac compression, 828-29, 830
    - pulmonary, angiocardigraphy in, 135-36
  - Tumor
    - mediastinal, angiocardigraphy in, 127
    - pulmonary, angiocardigraphy in, 127
  - Ulcer, of extremity, sympathectomy for, 410
  - Ulceration, and hyperabduction syndrome, 167
  - Ultracentrifuge, in heparin and lipoprotein metabolism, 666-73
  - Underfeeding, and atheromatosis, 43-46
  - Urea nitrogen, in congestive heart failure, 64-65
  - Uremia, pergastric intestinal perfusion for, 309
  - Urine
    - excretion of, in congestive heart failure, 871
    - volume of, and blood pressure, 543-50
  - Valsalva maneuver, pressure pulse contour during, 514-15
  - Valve
    - cardiac, movements of, 156
    - disease of, and coronary artery anastomoses, 803-04, 808
    - and rheumatic heart disease, 840-42

- mitral
  - commissurotomy for, 321-28
  - and heart sounds, 567-80
  - stenosis of. *See* Stenosis, mitral
- pulmonary, 634
- tricuspid, congenital atresia of, 931
- Valve rings of heart, abscess of, 1-12
- Valvulotomy, in rheumatic heart disease, 841-42
- Varicose veins, 945, 949
- Vascular disease, 312-14, 450-52
  - hypertensive, 472
  - rice diet in, 150
  - occlusive, and hyperabduction syndrome, 168
- peripheral, 450
  - anticoagulants for, 613-23
  - arteriosclerotic, 311
  - great toe calorimetry in, 120-21
  - sympathectomy for, 314
- Vascular lesion, pulmonary, 311
- Vascular tree, reactivity of, in hypertension, 70-86
- Vasculograph, 479
- Vasiodone, fatal reaction to, 153
- Vasoconstriction, 402-04
- Vasodilatation
  - peripheral, centrally induced, 572-73
  - following quinidine, 529
- Vasodilator, 153
- Vasospasm
  - and flicker fusion threshold, 350
  - retinal, and hypertension, 356
- Vectorcardiography, spatial, 935
- Vegetations
  - cardiac, 5, 6, 8, 10
  - valvular thrombotic, in newborn, 139
- Vein
  - in chronic cardiac compression, 818
  - myocardial, 881-88
  - pulmonary, 126
    - obstruction of, 948
  - retinal, allergic thrombosis of, 949
  - thebesian, 882
  - varicose, 945, 949
- Venae cavae
  - cannula for simultaneous drainage of, 152
  - inferior
    - ligation of, in congestive heart failure, 777
    - obstruction of, 312
    - superior, cannulation of, 446
- Venesection, for cardiac asthma, 927
- Ventricle
  - at birth, 426
  - configuration of, during cardiac cycle, 211-18
  - contraction, 485
  - distention, 487
  - ejection phase, 515-16, 520
  - emptying, 486, 489-90
  - excitability of, and cardiac glycosides, 730-31, 732-33
  - filling, 486, 489-91
  - hypertrophy, in bundle branch block, 936
- left
  - acute failure, 770
  - in aortic insufficiency, 305
  - in cardiac asthma, 921, 923
  - contraction of, 216-17, 221-22
  - failure of, simulated by thoracic stomach, 144
  - filling of, 922
  - hypertrophy, 935
  - output of, 285
  - wall of, 222-25
  - work of, in anoxemia, 198
- mammalian, excitability of, 156
- preponderance curves, 147
- pressure curve, 487
- right
  - acute strain of, relieved by interatrial septal defect, 496-501
  - in chronic constrictive pericarditis, 290
  - circulation time determinations from, 905-08
  - contraction of, 214-17, 220, 221
  - filling of, 212-14, 215
  - hypertrophy, 942
  - in pneumoconiosis, 307
- size
  - presystolic, 488
  - in transposition of aorta and pulmonary artery, 333
- standstill, paredrine hydrobromide for, 769
- volume curve of, 489, 490, 491
- Veratrum
  - derivatives of, and vagus nerves, 794
  - in hypertension, 74, 78-81, 83, 85
  - See also* Veriloid.
- Veriloid, 792
  - and cerebral chemoreceptors, 186, 187-89
  - vascular response to in acute hypertension, 85
  - See also* Veratrum
- Vibrations, mechanical, sensitivity of fingers to, 717-19
- Viscosity, of plasma, 141
- Vitamin E, 791
  - alpha tocopherol, 622
- Vitamin K
  - synthetic
    - and anticoagulant No. 63, 621
    - as dicumarol antagonist, 620
  - water-soluble, in dicumarol-induced hypoprothrombinemia, 141
- Vitamin K<sub>1</sub>
  - and anticoagulant No. 63, 847-49, 851-52
  - as dicumarol antagonist, 620
  - for hypoprothrombinemia due to dicumarol, 931
- structural formula, 845
- Volume, presystolic, 486
- Vomiting
  - following morphine, 526
  - following quinidine, 526
  - due to thevetoidin, 859-60
- Von Bezold reflex, 83, 187
- Water
  - excretion of
    - in congestive heart failure, 871
    - effect of digitalis on, 87-89, 91
    - after renal arterial constriction, 152
  - regulation of, and cardiac asthma, 921, 925
- Weakness, and hyperabduction syndrome, 167
- Weight, and heparin tolerance, 394, 398-99
- Wheezing, 925
- Wiggers, Carl J., 483-84
- Xanthine, 97-98
  - and urinary excretion, 89, 90, 91
- Xanthoma tuberosum, lipoprotein patterns in, 669
- Xanthomatosis
  - primary essential, 477
  - tuberos, 950

5

s,

e

si-

19

21

h-

2-

7-

to

re,

91

ic-

ac

on

ce,

91

ein